

12MB of memory. Check it out . . .

- PC AT®
- PC XT™ Model 286
- Operating System/2
- **y** Dos
- **™** EMS¹

### **Environment**

New Technology and Application Growth	PC	→ PS/2
Hardware	PC AT PC XT Model 286	PS/2™ PC AT PC XT Model 286
Business	Manage Prior Investments	Implement New Applications
Memory	640KB	16MB
Software	DOS, EMS	Operating System/2
		7

#### **Product Overview**

#### **■** Systems supported

- PC AT
- PC XT Model 286

### ■ Memory capacity

- Expandable to 12MB
- MB increments: .5, 1, 2

#### **■ EMS Emulation software included**


— Above Disc™

### ■ Additional capabilities


- Serial port
- Parallel port

### Memory Module Installation . . . It's A Snap


1. Position the module



2. Insert the module



3. Snap into place



### **Sample Configurations**

	Module Size	Maximum Memory
Single Type Module Installation	256KB	3MB
	512KB	6MB
	1024KB	12MB .
Mixed Type Module Installation	256 and 512KB	5MB

### **Configuration Planning**

#### **■** Prices

Adapter and Software	\$495
■ .5MB Module Kit	\$165
■ 1MB Module Kit	\$395
■ 2MB Module Kit	\$845

#### **■** Considerations

Anticipated Memory Requirement	Module Kit Recommendation
■ Up to 3MB	.5MB
■ 3 to 6MB	1MB
■ 6MB and up	2MB

#### Product Features and Benefits — Hardware

One Ac	lapter/	<b>12MB</b>
--------	---------	-------------

- Supports large memory requirements
- Save expansion slots for other functions
- Eliminate need for multiple adapters or mother-daughter boards

#### Snap In Memory Modules (.5, 1, 2MB)

- Ease of installation
- Multiple configuration choice
- Reduced stocking requirements

#### Single-switch block and Split Memory Addressing

- Ease of installation
- Set switches once
- No additional adapters required

#### Serial/Parallel Ports

Save expansion slots for other applications

#### Service

- Diagnostics
- IBM warranty and service

### Product Features and Benefits — Software

Environment	Compatibility
DOS Extended Memory	■ IBM Virtual Disk
	■ IBM Topview®
Operating System/2 Extended Memory	■ Concurrent processing
Exterided Memory	■ Windowing
	■ Relational data base support
	■ Host communications
	■ Networking
	s
LIM/EMS Expanded Memory	■ LOTUS 1-2-3®
	■ Microsoft® Windows
	■ Quarterdeck DESQview™ and many others

The enclosed sales promotional/training materials are in support of the IBM Enhanced Memory Expansion Adapter announcement, dated August 18, 1987.

Here's another innovative product for your IBM Personal Computer AT® and XT™ Model 286 customers — the IBM Enhanced Memory Expansion Adapter. This product provides an effective response to your customer's needs for increased memory to run advanced applications and migrate from DOS to Operating System/2.

This Sales Promotion Kit provides a variety of items to help you promote this exciting product. These materials include:

#### Specification Sheet (G571-0106-03)

Explains major product highlights, as well as "what you get" in the basic product package and in the optional memory module kits.

#### Pocket Reference Folder (G571-0107-03)

Provides a quick reference of product features, functions and benefits for the adapter and supporting software as well as "at a glance" information and a memory module selection guide.

#### **Presentation Guide**

A set of overhead foil masters and script that will help you better understand the product features in a narrative form. Overhead foils can be made locally for presentation to customers.

Reference: Product Announcement #87-234 (VAD) #87-207 (PCD) #87-444 (NDD)

#187-155 (NC & SW)