

# AS-100M AS-100C FIELD SERVICE MANUAL



#### CONTENTS

- Chapter 1 Outline
- Chapter 2 Specifications
- Chapter 3 Disassembly/Reassembly and Nomenclature of Each Section
- Chapter 4 Installation

Chapter 5 Replacement and Ajustment of Units

- Chapter 6 Periodic Maintenance
- Chapter 7 Troubleshooting
- Chapter 8 Appendix

## PREFACE

Differences between first and this version and as shown in following table:

Model No.	Model No.
OXXXXX	1XXXXX
Three P.C.B.'s in MAIN UNIT	Two P.C.B.'s in MAIN UNIT
1. CPU P.C.B.	1. CPU+I/O-CONT P.C.B.
<ul> <li>(1) Basic memory of 256KB</li> <li>(2) Optional memory</li> <li>1) Chip expansion (memory)</li> </ul>	<ul> <li>(1) Original Formen CPU+I/O-CONT</li> <li>(2) Basic memory 128KB</li> <li>(3) Optional memory</li> <li>1) Expansion board</li> </ul>
128KB each	(memory) 128KB, 256KB or 384KB
2. I/O CONT P.C.B.	2) RS 232C-2 expansion
3. CRT CONT-X P.C.B.	3) RTC expansion
	2. CRT-CONT2-X
	(1) Gate array
	(2) Option (B/W display)
	1) Chip expansion (VRAM) 32KB
	(3) Additional functions of optional memory is for B/W display
	1) Partial high brightness
	2) Partial blink
1. Memory chip expansion 128KB	<ol> <li>Memory board expansion 128KB, 256KB or 384KB</li> </ol>
2. RS232C on I/O MOTHER	2. RS232C on I/O MOTHER RS232C-2 on CPU+I/O-CONT
4. COMMUNICATION interface	3. CNT I/F-2 on I/O MOTHER (CENTRONICS)
5. POINTING DEVICE	4. SIO on I/O MOTHER (Communication)
	5. VIDEO RAM chip expansion 32KB for B/W display
	6. POINTING DEVICE

			7. RTC 8. CURRENT LOOP 9. 5" HARD DISK				
FAN	Below CRT	Rear Cover	FAN	Below CRT	Rear Covér		
B/W display	None	None	B/W display	None	1		
Color display	1	None	Color display	- 1	1		
UNIT CRT UNIT B/W , Normal brig	htness		UNIT CRT UNIT B/W . Normal brig . Partial hig . Partial bli	htness h brightn nk	ess		

## Introduction

This service manual is applicable only to the specified models as shown below. Abbreviations of models are listed in Table 1.1.1.



Chapter 1 Outline

- 1.1 Configurations
  - 1.1.1 System configuration
- 1.1.2 Models
  - 1.1.3 Software configuration

1.2 Description of Functions

- 1.2.1 CPU
- 1.2.2 I/O CONT (I/O Controller)
- 1.2.3 DISPLAY CONT (Display Controller)
- 1.2.4 KEYBOARD
- 1.2.5 5" FDD
- 1.2.6 8" FDD
- 1.2.7 PRINTER
- 1.2.8 I/O MOTHER (option)
- 1.2.9 RS232C (option)
- 1.2.10 CENTRONICS (option)
- 1.2.11 COMMUNICATION (option)
- 1.2.12 CURRENT LOOP (option)
- 1.2.13 5" HARD DISK (option)



#### 1.1 Configurations





#### Fig. 1.1.1 System Configurations

1.1.2 Models

.

## Table 1.1.1

Abbrevia- tion	Model	Symbol	Configuration & outline	Remarks
			. 12" color graphic display	
	AS-100C	E21-0021	. Standard 256KB main memory	
MAIN UNIT			. The interfaces respectively for printer, keyboard, and floppy disk are incorporated.	
			. 12" B/W graphic display	
	AS-100M	E21-0011	. Standard 256KB main memory	
			. The interfaces respectively for the printer, keyboard, and floppy disk are incorporated.	
KEYBOARD	AS KEYBOARD ASCII A-1111	E21-0040	. ASCII Key + 10-key	
5" FDD	Minifloppy disk A-1300	E71-0050	. 2 sides, double density, double tracks, mini drive x 2	
			. File capacity: 1.4MB (max)	
8" FDD	Floppy disk A-1330	E71-0061	. 2 sides, double desntiy, standard slim drive x 2	
			. File capacity: 2.5MB (max)	
			. 9-pin wire dot, serial	DP-7RG and
	Dot impact printer A-1200	E71-0081	. 80 characters, 120CPS	X-8220A are
PRINTER			. 480-dot image print	applicable
			. 4-nozzle inkjet	
	Color printer A-1210	E63-0011	. 80 characters, 40 CPS	
	•		. 560-dot image print	
			. 7-color print	

Note: KSR for AP400/500 is applicable

Option	Model	Symbol	Configuration & outline	Remarks
	Optional memory A-1020	E71-0270	• 128KB RAM board	· · ·
	Optional memory A-1021	E71-0280	· 256KB RAM board	To CPU+I/0-
	Optional memory A-1022	E71-0290	• 384KB RAM board	CONT P.C.B.
RTC	Real time clock A-1002	E71-0310	$\cdot$ With calendar, watch and battery	
RS 232C-2	Serial data interface A-1500II		• RS-232-C interface	
VRAM	Video memory A-1004	E71-0320	• For B/W display	To CRT-CONT2- B/W
I/O MOTHER	Expansion board A-1010	E71-0210	• I/O optional MOTHER board	
RS232C	Serial data interface A-1500	E71-0150	• RS-232C interface	
CENTRONICS	Parallel data interface A-1502	E71-0190	• CENTRONICS interface	
COMMUNICA- TION	Communication interface A-1503	E71-0180	• Transmission	To A-1011
5" HARD DISK	Hard disk A-1350	E71-0331	<ul> <li>5" hard disk + mini drive x 1</li> <li>File capacity of hard disk 8.4MB</li> <li>Transfer rate of hard disk max. 500KB</li> </ul>	H.DISK I/F: to A-1011
P.D.	Pointing device A-1100	E71-0260	• Smooth cursor shift device	
CURRENT LOOP	Current loop interface A-1505	S13-1010	Interface of data transmission by current mode	

\*1 Available from April 1983

\*2 Available from May 1983

\*1

•

1-3

\*2

\*1



## 1.1.3 Software Configuration

1-4

1.2 Functional Description

With AS-100M and AS-100C, the 16-bit  $\mu$  processor 8088 dat bus = 8 bits is used as a CPU. To assure each model of good universality over programming, both CP/M-86 and MS-DOS of a general-use type are applied for operating system.

The CRT display (B/W or color) is of a full graphic design. It displays all images including characters with picture dots.



Fig. 1.2.1. Functional Block Diagram

1

1.2.1 CPU

16-bit processor 8088 executes the microprogram which has been loaded previously from floppy disks into the system memory RAM, and the ROM (8KB) to control the entire functions.

Setting of system media

Power ON

Start of ROM (8KB)

- . Initialization of hardware other than FDD controller
- . Initial checks (1) RAM check
  - (2) ROM check
    - (3) Timer check
    - (4) Key check
- . Clearing of VRAM in display controller
- . Initialization of hardware for FDD controller
- . OS loading from the system media into RAM by DMA controller

Operation of OS (CP/M-86, MS-DOS)

. Henceforth management under OS.





#### SYSTEM BUS

A system bus is used for 16-bit processor 8088 to control the entire system. The system bus consists of a 20-bit address bus with 1 MB address space, 8-bit data bus, and a control bus for read/write control and system bus controlled by a microprogram.

The memory area appropriated for 8088 processor is divided into two as shown in Fig. 1.2.3; One is the system memory area and the other is I/O memory area.

This memory area division is performed automatically within the same address area of 20 bits - 1 MB by a microprogram.



Fig. 1.2.3

SYSTEM BUS	- PIC:	To control priority sequence over I/O interruption from either I/O CONT or I/O MOTHER (option), as well as to inform the higher interrupt to the pro- cessor.
	— DMA :	For control of DMA data transfer between an option device and FDD controller in I/O CONT and system memory.
	- ROM:	A 8KB read-only-memory for hardware initializing, initial checking, OS loading, and $\mu\text{-}debugger.$
_	- RAM:	A system memory with a capacity of 256KB expandable by 128KB up to 512KB
L	—I/0 (	CONT: See 1-2-2

## Option involved in the CUP

System memory (RAM)	Up to 512KB (max.) by expansion of each bord 128, 256, 384KB.
Real Time Clock (RTC)	Data and time control. It functions by backup of battery when power OFF.

## 1.2.2 I/O CONT

I/O CONT modifies the system bus into the I/O bus in order to control the circuit of device, option device and desplay controller which are connected to I/O bus.

Device controllers inside I/O controller is connected to I/O bus, and address is designated to a certain I/O memory area.

Modified is connected with DISPLAY CONT and optional device controller as I/O BUS.

SYSTEM BUS-	FDD CONT	With FDC µPD765AC, four floppy disk drive FDD is controlled via DMA data transfer. FDD units connected to this FDD CONT are 5" FDD 5" x 2 and 8" FDD 8" x 2.
		Respective interfaces of these FDD units are different from each other, so each of these units has its interface circuit.
	CENTRO CONT	Controls the centronics interface of 8-bit parallel data bus and allows connection of mainly the printer with a centronics interface.
	TIMER	Software timer for firmware of CPU.
	BAUD RATE	Provides three different frequency pulse signals which varied by firmware of CPU.
		Output to change tone of speaker output and a data transfer clock pulse to RS 232C of *1.
	KEY INPUT	Converts Key matrix code which is to be serially transferred from the keyboard, and, then to the parallel code.
		Converted parallel code is directly transferred to CPU.
		Firmware of CPU converts it to internal code and controls the repeat function.
	SPEAKER AMP	500 Hz $\sim$ 4 KHz sound generating circuit
		RS232C-2 serial interface (option) Bus driver and bus control
I/C	BUS	
Option in I/	O CONT	
	RS232C-2	- Serial data interface output to OPT5 port.

1-9

## 1.2.3 DISPLAY CONT

When video memory data (VRAM) [black/white display: 32KB x 1 (VRAM-B) and color display: 32KB x 3 (VRAM-B.G.R)] Black/white or color display gives a full graphic presentation of characters or figures. Display control too graphic display controller (GDC) is  $\mu$ PD 7220D. 32KB x 1 or 32KB x 3 VRAM is accessable on a time sharing basis either the GDC or the CPU via the I/O bus.

Picture structure of both black/white and color display is as shown in Fig. ].2.4.



#### Fig. 1.2.4

For black/white and color displays, a pallet display system is employed and eight different patterns made from 1 or 3 VRAMs enhances display performance. Fig. 1.2.5 shows pallet display system concept.



Fig. 1.2.5

Eight different patterns previously set on pallets  $0 \sim 7$ are selected according to VRAM output which is sent out synchronously with the dot timing of a can sweep signal of separately display.

## Black/white display.

Referring to Fig. 1.2.5, dot timing is as in Table 1.2.1.

Table 1.2.1

Bit output		tput	Selected pallet	Output to display
R	G	В	•	
-	-	0	Pallet 0	No display
-	-	•	Pallet 1	Normal display

Option VRAM-G included

-	1	0	Pallet 2	Partial high brightness display
-	1	1	Pallet 2	Partial normal brightness blink

#### Color display

Like the black/white display, depending on the contents of selected pallets, six different chromatic signals, semi red, red, semi green, green, semi blue and blue are output. For a half-tone chromatic display, two chromatic signals of a primary color and a semi color are required but no combination is available between a primary and a semi color of same color type.

Therefore, a display with 27 different colors is possible as shown in Fig. 1.2.6.



27 combinations of 3 colors are possible as indicated by the solid line.

2

Referring to Fig. 1.2.5, eight different patterns are selected in advance on the pallets; therefore, eight colors be selected differently from the 27 colors.

Option in DISPLAY CONT

VRAM ..... Optional chip of 32 KB x 1 for B/W display

1.2.4 KEYBOARD

I/O CONT





Fig. 1.2.7 Block diagram of the keyboard

8401 processor is used for key code generation control and has a 1KB ROM incorporated to control the timing of key code generation, selected key code designation, and serial output. The key matrix comprises of 13 sampling timings, KSO  $\sim$  KS12 and key code KDO  $\sim$  KD7 of 8 bits, thus, 13 x 8 = 104 different keys can be discriminated. Pointing device is connected onto key matrix with eight keys of 104 appropriated for pointing device.

Concept of key code generation

Key pressing (1) 2 Sampling Confirmation of key release Confirmation of key release when key code is same as when key code is same (1), key data 1B 8th bit is "O" are serially as (3), key data 1B 8th bit is is "1" are transferred. serially transferred.

Key data are generated respectively when a key is pressed and released, then, serially transferred to key input circuit. CPU converts key data into internal codes. When key release time exceeds 640ms, CPU automatically generates an internal code continuously as repeat mode.

KEY BOARD option

Pointing device .....Carsol control for graphic.

1.2.5 5" FDD

The 5" FDD has two built-in MDD-220 units and is connected to I/O controller via FDD controller, using a star chain.

FDD controller also drives the 8" FDD (YD-180 x 2) with same bus line; therefore, 5" FDD incorporates an interface circuit consisting of VFO circuit, condition generator circuit, bus driver/ receiver circuit for common application of one same bus. Power supply is provided from main unit separately from signal bus.

## 1.2.6 8" FDD

Except for the following, 8" FDD is the same as 5" FDD (MDD220  $\times$  2).

Drive YD-180 x 2 (daisy chain) Interface circuit VFO circuit Power source Built-in

#### 1.2.7 PRINTER

Refer to PRINTER TECHNICAL GUIDE.

1.2.8 I/O MOTHER (option)

The I/O MOTHER is for optional interface and devices to be connected to I/O bus. I/O mother keeps a 96KB system memory area for optional use and a 3-port (OPT2, OPT3, OPT4) for optional interface addressed in I/O memory area.

The following optional device and interface are connected to I/O MOTHER.

o System memory area (90000H - A7FFFH) ... Option use

o I/O memory area

I/O memory area is normally allocated to meet the respective port select and status read, for optional interface-use by three ports.

CPU recognizes the optional interface connected to each port through status read, and I/O memory area is allocated for individual interfaces via port select.

Table 1.2.2

Option port	Port select							Status read										
option port	<b>A</b> 8	A7	A6	A5	A4	A3	A2	A1	<b>A</b> 0	<b>A</b> 8	A7	<b>A6</b>	A5	<b>A</b> 4	A3	A3	A1	AO
OPT2	1	0	0	0	Ada wit	ires hir	ss. 1 pc	ort		1	۵	1	1		-			-
OPT3	1	0	0	1			"			1	1	0	0		-			
OPT4	1	0	1	0			**			1	1	· 0	1		-			

Note: A0  $\sim$  A8 are address buses.

Optional port	Option interface					
OPT2	RS232C	CENTRONICS CURRENT LOOP				
OPT3	RS232C	COMMUNICATION CURRENT LOOP				
OPT4	RS232C	H.DISK I/F CURRENT LOOP				

1.2.9 RS232C (option)

RS232C serial interface connected to I/O MOTHER.

1.2.10 CENTRONICS (Option)

CENTRONICS interface connected to I/O MOTHER.

1.2.11 COMMUNICATION (Option)

COMMUNICATION interface connected to I/O MOTHER

1.2.12 CURRENT LOOP (Option)

CURRENT LOOP interface connected to I/O MOTHER.

## 1.2.13 5" HARD DISK (option)

5" HARD DISK consists of a M4863 hard disk, a MDD220 and power supply unit.

M4863 connects to H.DISK interface circuit which provides in MAIN UNIT through the disk controller built-in M4863.

MDD-220 connects to FDD CONT through 5"FDD interface circuit.

## Chapter 2 Specifications

- 2.1 MAIN UNIT
- 2.2 5" FDD
- 2.3 8" FDD
- 2.4 KEYBOARD
- 2.5 PRINTER
- 2.6 Option Interface
- 2.7 Option (Others)
- 2.8 General Specification

# Chapter 2 Specifications

## 2.1 MAIN UNIT

Items		Description	Remarks			
Size (mm)		$ \begin{array}{c} 16.9'' \\ 429 \\ \hline \\ 429 \\ \hline \\ 0 \\ 0 \\ \hline \\ 0 \\ 15.7'' \\ 14.6'' \end{array} $				
Weight	Black/white: 1	9.5 kg Color: 23 kg 43 lbs) (50.7 lbs)				
Power con- sumption	Black/white: 1					
CPU	Processor	16-bit processor 8088	Option B/W VRAM 32KB v 1			
	Control system	Microprogram				
	Clock	4 MHz	can be added.			
	Interruption	8 types	Additional			
	ROM capacity	8K bytes	artial high			
	I/O bus	<ul> <li>(1) Serial bus 36 KB/S</li> <li>(2) Centronics bus 142 KB/S</li> <li>(3) FDD bus 62 KB/S</li> </ul>	brightness and partial blink.			
	Speaker output	500 Hz to 4 KHz, programmable	sion			
	Size	12"				
CRT	No. of dot	s 640 horizontal dots x 400 vertical dots				
	Character	AN: 80 characters x 25 lines				
	Uther functions	Ruled line drawing in inter-line space, full graphic smooth scrolling				

Items	Description			Remarks		
		Color	olor Green			
•	ick/ te	VRAM	1 32 KB x 1		(B x 1	
	Blawh	Other function		Part	tial reverse	
CRT		Color	c	8 cc	olors selectable	
	LOL	0	from		n 27 colors.	
	Co]	syste	em Pall		let display system	
		VRAM		32KI	3 x 3/screen	
	Capa	city		256	KB max. 512 KB	Option memory
	Cycl	le tim	1e	330	ns	for every expansion of
MAIN MEMORY	Elen	nent		MOS	LSI - 64 KB dynamic RAM	128 KB
	Usen	memo	ory	32 1	<b< td=""><td></td></b<>	
Options	VRM set 128/256/384KB MEMORY BOARD RS 232C-1/RS 232C-2 interface CENTRONICS/COMMUNICATION interface RTC set CURRENT LOOP interface HARD DISK interface			Refer to 2.6. Refer to 2.6. Refer to 2.7. Refer to 2.6.		
Power Source	Input Volta		ige	AC115V <u>+</u> 10% AC120V <u>+</u> 10% AC230V <u>+</u> 10% AC240V <u>+</u> 10%		
			Frequ	Jency	48 ∿ 440 Hz	
			Phase	e	Single phase, 2-wire	
			+5V		Max 8A OC provided	OC: Over
	Output		t +12V		Max 2.5A "	Protec-
		-12V			Max 0.1A	tion
			Connector		CN3: +5V, <u>+</u> 12V, GND	For main unit
					CN4: +5V, <u>+</u> 12V, GND	For options
					CN5: +5V, +12V, GND	For 5" FDD
	Effici- ency 60		60 <b>%</b>			
			10 00	nput – utput –	Below 200ms Above 20me	

· :

2-2

# 2.2 5" FDD

Items	Desci	ription	Remark
Size (mm)	344	370	
Туре	2-side, double-der floppy disk drive	nsity, double-track, mini x 2	MDD-220
Weight	6.3 kg		
Power con- sumption	Included in CPU po		
Media Items	9 secto	ors/80 tracks	- ·
	Total	737 кв	1-drive speci-
Capacity	Track 4.6 KB		fications
	Sector	512 KB	henceforth
No. of tracks	80		
No. of sectors	9 sectors		
Recording density	5922 BPI		
Data transfer speed	250 КЪ/Ѕ		
Recoding system	MFM		
	Seek time	4 ms	
Access Time	Settling time	15 ms	
	Latency time	100 ms	
Error rate	$10^{-12}/b$ 10	0-6/seek	
Power source	+12V: 1.3A max	x +5V: 2A max	Power supply from CPU

۰.

Media: Canon-specified MDD. 512DD (512B/sector)

## 2.3 8" FDD



۰.

Media: Canon specified MDD-256D (256B/sector)

## 2.4 KEYBOARD

Items	Description	Remarks
Size (mm)	PD Option refer to 2.7 480	4.5° ∿ 8.5° angle adjust- able
Weight	2.2 kg	
Power con- sumption	Included in the CPU power consumption	
Type of keys	See Fig. 2.4.1	
Data transfer speed	3.6 Kb/S	

۰.



Fig. 2.4.1 Keyboard

## 2.5 PRINTER

Refer to "PRINTER TECHNICAL GUIDE".

## 2.6 Option Interfaces

## RS232C

Items	Description	Remarks
Inter-connection circuit	AA, AB, BA, BB, CA, CB, CC, CF, DD (Conform to EIA RS-232-C and CCITT V-24)	
Signal level	±12V	
Data format	5, 6, 7 or 8 bits + 1 or 2 stop bit + odd/even parity or none.	
Data transfer speed	<ul> <li>110 ∿ 9600 BPS</li> <li>(1) Asynchronous data transfer</li> <li>(2) 2-wire or 4-wire public/leased line</li> <li>(3) Inter-connection (max. 15 m) with terminal equipment</li> </ul>	-

۰.

•

# CENTRONICS

Item	Description
Interface	Conforms to interface produced by CENTRONICS Co., standard
Data format	Parallel data Bit configuration 7 or 8 bits

# COMMUNICATION

u	Synchronization mode	SYN system/start-stop system		
catio unit	Baud rate	300, 600, 1200, 2400, 4800 9600 MODEM synchronization		
iuni rol	Error control	CRC check horizontal/vertical parity		
Communication system		Half-duplex/full duplex		
00	Applicable lines	Public leased communication line		
	Line configuration	2-wire/4-wire system		
	Line interface MODEM interface(JIS C6361)			

## CURRENT LOOP

Available soon

# 2.7 Other Options

# POINTING DEVICE

Item	Description	Remark
Size (mm)	$\square \bigcirc \square \bigcirc$	
Weight	0.2 kg	
Power con- sumption	Included in CPU	
Transfer rate	Conforms to keyboard	

# RTC

Item	Description	Remark
LSI used	HD 146818 (Real time clock + RAM)	
Accuracy	50 sec/month	
Power supply	<ol> <li>DC 5V ±10% (At operating)</li> <li>Min 3.0VDC (Back up)</li> </ol>	
BATTERY	More than 36 hours operation after the battery is fully recharged. (Recharging time;40 hours)	

## 5" HARD DISK

Item	Description	Remark
Size(mm)		
Weight	14 kg	
Power Consumption	65 W	
	Hereinafter describes the HARD DISK DR	IVE
Total Memory	8.68 MB	Refer to mini
Track	9.216 KB/track	specification
Sector	1240 B/sector	page 2-2.
No. Sector in Track	9 sector/track	
Cylinder	157 (user area)	
No. of Track	960	
Recording Density	7900 bPi	
Recording Method	MFM	
Data Transmission Speed	625 KB/sec. (MAX)	
Avarage Access Time	75 m sec.	
Disk Revolution	3600 v.p.m.	
Start up	15 sec.	
Error rate	$10^{-12}/b$ $10^{-12}/SEEK$	
Power	+12 V 2 A(MAX.4.0 A) +5 V 1.	16 A

۰.

## 2.8 General Specification

Item		Remark		
	Operating	Storage	Variation gradient	
Temperature	$+10^{\circ}C = 35^{\circ}C = (50^{\circ}F = 95^{\circ}F)$	-10°C - +50°C (14°F - 122°F)	15°C/h	
Humidity	30% - 80%	10% - 80%	30%/day	No mist
Vibration	Below 0.25G	Below 1G		
Shock	Below 5G			
Power Supply	AC115V, AC120V, AC230V, AC240V ±10% 50/60 Hz			
Noise Resistance	(1) Pulse peak 0.6KV		0.6KV	
	(2) Pulse width		800ns	
	(3) Repetitive frequency 5		50 Hz	-
Insulation	(1) Leak current Below 0.4m			
	(2) Insulation resistance			
	Below 10MΩ under DC500V			
	(3) Withstand	ing voltage l minute under	AC100V	
Other				

۰.

Chapter 3 Disassembly/Reassembly and Nomenclature of Each Section

3.1 MAIN UNIT

3.1.1 External view

3.1.2 Internal view

## 3.2 KEYBOARD

3.2.1 External view

3.2.2 Internal view

## 3.3 5" FDD

3.3.1 External view

3.3.2 Internal view

## 3.4 8" FDD

3.4.1 External view

3.4.2 Internal view

3.5 PRINTER

Chapter 3 Disassembly/Assembly and Nomenclature of Each Section

3.1 MAIN UNIT is same as black/white and color

### 3.1.1 External View



Fig. 3.1.1 Front View





(1) ①	Removal procedure of housing frame cover Remove three retaining screws from rear cover.	*1 *2	A-plate to cover option interface connector B-plate to cover option interface connector
		*3	3C-Plate to cover

optional interface

connector



Fig. 3.1.3

- (2) Remove hook from upper cover first, then, disconnect CENTRONICS internal cable from CPU+I/O-CONT P.C.B, and fan internal cable from rear cover.
- (3) Remove three grounding cables (Fig. 3.1.3) which are clamped to power supply unit, then, remove rear cover.



Fig. 3.1.4

(4) Remove two retaining screws from the upper cover, and slightly pull the upper cover toward yourself, lifting it and removing it.
# 3.1.2 Internal View



Fig. 3.1.5





3-3

#### 3.2 KEYBOARD

## 3.2.1 External View



Fig. 3.1.8

٠.

- (1) Removal procedure of bottom cover
- Bottom cover is removed first, five retaining screws from bottom cover, and loosening three retaining screws of rear cover.

3.2.2	Internal	View	ann	0:	Hook (for	locking)
Paint- ing device con- nector					-	-KEYBOARD UNIT

# Fig. 3.1.9

#### 3.3 5" FDD

## 3.3.1 External View



Fig. 3.3.1



Fig. 3.3.2





- (1) Insert shipping sheet 5" into MDD-220.
- 2 Loosen two retaining screws (Fig. 3.3.3) at the left of front housing plate.
- (3) Remove one retaining screw from rear cover, and two retaining screws (Fig. 3.3.3) from bottom plate.

3.3.2 Internal View

Fig. 3.3.4 shows the inside of 5" FDD with housing removed.



Fig. 3.3.4

#### 3.4 8" FDD

# 3.4.1 External View



Fig. 3.4.1



Fig. 3.4.2

- (1) Removal procedure of housing plate
- (1) Insert the shipping sheet 8" into YD-180.
- 2 Remove two retaining screws (Fig. 3.4.2) from rear cover.
- 3 Remove four retaining screws (Fig. 3.4.3) from bottom cover.
- ④ Pull housing toward yourself while slightly lifting it.



Fig. 3.4.3

# 3.4.2 Internal View



Fig. 3.4.4

# 3.5 PRINTER

Refer to "PRINTER TECHNICAL GUIDE".

#### Chapter 4 Installation

#### 4.1 Installation

- 4.2 Installation Procedure
  - 4.2.1 Unpacking
  - 4.2.2 Switch setting and confirmation
  - 4.2.3 Cable connections
  - 4.2.4 Turning-ON power supply, brightness adjustment, and speaker output adjustment
  - 4.2.5 Execution of test program and confirmation

#### 4.3 Installation of Options

- 4.3.1 I/O MOTHER-E P.C.B
- 4.3.2 Optiona interface
- 4.3.3 Video Memory
- 4.3.4 Option Memory Board
- 4.3.5 Pointing Device

## Chapter 4 Installation

#### 4.1 Installation

For details regarding installation, refer to paragraph 2.8 "General Specifications".

Table 4.1.1

MAI	N UNIT	Wattages	8" FDD	Wattages		
115V 120V	B/W	125W	115V 120V	50W		
230V 240V	COLOR	150W	230V 240V			
Both the keyboard and the 5" FDD are included in the MAIN UNIT.						

PRINTER	Wattages
A-1200	MAX. 85W
A-1210	MAX. 25W
X-8220A	MAX. 90W
AP400/ 500 KSR	MAX. 85W

Table 4.1.2 For 115V,120V,230V,240V

Mod	el	Wattages	Mod	el	Wattages	Model		Wattages	Model		Wattages
M.UNIT	B/W	125W	M.UNIT	B/W	175W	M.UNIT	B/W	175₩	M.UNIT	B/W	225W
+ 5" FDD	COLOR	1 50W	+ 8" FDD	COLOR	200W	+ 5"+8" FDD	COLOR	2004	8"+8" FDD	COLOR	2 5 OW

Note At least three power receptacles are required.

Never connect the system directly to an AC line receptacle or to a noise-generating machine such as induction motor, electrostatic copy machine etc. The equipment should not be exposed to direct sunlight.



#### 4.2 Installation Procedure

(1) Unpacking includes confirmation of component parts) +

(2) Switch setting and confirmation + (3) Cable connections +

(4) Turning-on power supply, brightness adjustment, and speaker output adjustment  $\rightarrow$  (5) Execution of test program

Refer to paragraph 4.3 for the method of installing options.

4.2.1 Unpacking (including confirmation of the component parts)

(1) Unpacking

(1) MAIN UNIT (BLACK/WHITE, COLOR)



Fig. 4.2.1





Fig. 4.2.2

3 5" FDD











	AS-100M C	AS KEY ASCII A-1111	MINI FLOPPY A-1300	FLOPPY A-1330
Mode1	0	0	0	0
Power cord	0			0
Dust cover	0			
Instruction manual	0			
Packing material	0	0	0	o
Grounding cable			0	0
FDD cable			0	0
Device No. seal plate C				. 0
Device No. seal plate D				0
Overlay		0		

# (2) Confirmation of the component parts

Table 4.2.1

2

1

EX. BOARD II A-1011	I/O-MOTHER-E P.C.B and mounting place with a locking support
SERIAL I/F A-1500	RS232C P.C.B, 25P mounting plates A and B
OP. MEMORY A-1020 128K A-1021 256K A-1022 384K	Expansion memory board and four retaining screws
VEDEO RAM A-1004	Expansion video memory chip 16
COMMUN. I/F A-1503	SIO P.C.B
PARALLEL I/F A-1502 II	CNT-I/F-2 P.C.B
SERIAL 1/F A-1500 II	RS 232C-2 P.C.B, RS 232C-2 cable and four retaining screws
CLOCK SET A-1002	Available soon
POINTING DEVICE A-1100	POINTING DEVICE
CURRENT LOOP I/F A-1050	Available soon

Table 4.2.2

4.2.2 Switch setting and confirmation

Switch setting is required only the following four kinds of system configuration.

- 1 MAIN UNIT (B/W, COLOR) + 5" FDD
- 2 MAIN UNIT (B/W, COLOR) + 8" FDD
- 3 MAIN UNIT (B/W, COLOR) + 5" FDD + 8" FDD
- 4 MAIN UNIT (B/W, COLOR) + 8" FDD + 8" FDD

Necessary to confirm and set the switches in the P.C.B according to each system configuration.

(1) Description of the switch bits in each P.C.B

(1) CPU+I/O-CONT P.C.B

o SW1 (Printed name)



<sup>1</sup>OFF: 1

Table 4.2.3

(2) I/O-CONT P.C.B

o SW2 (Printed name)



ON: 0 OFF: 1 For the significance of X, see the description concerned.

Table 4.2.4

#### 5''-FDD-I/F P.C.B

o SW1

(3)





(4) 8"-FDD-1/F P.C.B

o SW1



Table 4.2.6

Refer to paragraph (3) that the switches in respective P.C.B. inside are present MDD-220 and YD-180.

(2) Switch setting for MAIN UNIT

1 MAIN UNIT (B/W, COLOR) + 5" FDD

2 MAIN UNIT (B/W, COLOR) + 8" FDD

Unnecessary to set the switches, only confirm the swithes. Refer to each table in paragraph (1).

(3) MAIN UNIT (B/W, COLOR) + 5" FDD(A, B) + 8" FDD(C, D)

(4) MAIN UNIT (B/W, COLOR) + 8" FDD(A,B) + 8" FDD(C,D)

In each of above system configurations, it is necessary to set swithces located in following P.C.B.

1) 8" FDD-I/F P.C.B (C and D sides)



## Fig. 4.2.7

```
Set following switches of SW1
switch in 8" FDD-I/F P.C.B to
specified positions.
No. 5 \rightarrow "OFF"
No. 6 \rightarrow "ON"
No. 7 \rightarrow "OFF"
No. 8 \rightarrow "ON"
```

The switches specified in each of P.C.B, other than those above must go through only the confirmation for normally.

(3) Setting and confirmation of P.C.B switches in disk drive.

(1) MDD-220



	1	2	3	4
At time of factory-shipment	ON	OFF	OFF	OFF

o SW2

	1	2	3	4	5
At time of factory-shipment	ON	OFF	ON	OFF	OFF

Table 4.2.8

o SW3

	1	2	3	4	5	6
At time of factory-shipment	ON	OFF	OFF	ON	ON	OFF

Table 4.2.9

Fig. 4.2.9

These switches are set to the positions as specified in Table.

These switches are set to the positions as specified in Table.

These switches are set to the positions as specified in Table.

Note: Disk drives A and B switches are set in same position.



Fig. 4.2.11

Set the jumper plug and terminator of each disk drive as shown in the table below. Fig. 4.2.10 shows the disk drive location, and Fig. 4.2.11 shows respective positions of jumper plug and terminator.

Disk drive	Terminator	VFO timing	Data transfer system	Device select	
A(C)	Provided		· Eig ( ) 12	Fig. 4.2.14	
B(C)	Not provided	Fig. 4.2.12	F1g, 4.2.13	Fig. 4.2.15	

Table 4.2.10

20000

FD SD 000

Fig. 4.2.12 VFO timing Fig. 4.2.13 Data transfer system





Fig. 4.2.14 DEVICE SELECT A (C) Fig. 4.2.15 DEVICE SELECT B (D)

#### 4.2.3 Cable connections

The installation of AS-100 Series is done with connections of seven cables which are FDD cable (for 5" and 8" FDDs), centronics cable, KEYBOARD cable, 5" or 8" FDD power cable, printer cable, MAIN UNIT power cable, and grounding cable.

The printer to be installed on MAIN UNIT is either DOT IMPACT PRINTER A-1200 or COLOR PRINTER A-1210.

(1) Installation of 5" FDD



- Fig. 4.2.16
- (2) Installation of 8" FDD



Fig. 4.2.17

- (1) FDD cable
- (2) Centronics cable

۰.

- (3) KEYBOARD cable
- (4) 5" FDD power cable
- 5 Printer power cable
- 6 MAIN UNIT power cable
- (7) Grounding cable

- FDD cable
- ② Centronics cable
- ③ KEYBOARD cable
- 4 8" FDD power cable
- 5 Printer power cable
- 6 MAIN UNIT power cable
- ⑦ Grounding cable

# (3) Installation of 5" & 8" FDDs

When both 5" and 8" FDDs are installed, use FDD expansion cable for two floppy disk drives instead of 1 shown in paragraph 4.2.16.



FDD expansion cable

Centronics cable

KEYBOARD cable

۰.

5" FDD power cable

- Printer power cable
- MAIN UNIT power cable
- ) Grounding cable
  - 8" FDD power cable

Fig. 4.2.18

(4) Installation of two 8" FDDs

KEYBOARD

FDD cable 2 Centronics cable (1)4 (4 (1)3 KEYBOARD cable 4 8" FDD power cable DOT IMPACT PRINTER 8" FDD 8" FDD 3 Printer power cable or COLOR PRINTER 6 MAIN UNIT power cable  $(\mathcal{T})$ Grounding cable MAIN UNIT 3)



The following is the installation procedure.

MAIN UNIT + 5" FDD



Fig. 4.2.20

 After unpacking, set MAIN UNIT power switch to OFF (set downward). Then, remove 5" FDD mounting hole cover caps from MAIN UNIT. See Fig. 3.1.1.

- (2) Confirm set position of P.C.B switch in MAIN UNIT and 5"-FDD I/F P.C.B. See paragraph 4.2.3. Then mount 5" FDD on 5" FDD boss of properly with 5" FDD mounting holes of MAIN UNIT.
- (3) Connect keyboard cable, centronics and FDD cable to respective connectors of MAIN UNIT as in Fig. 4.2.20.
- (4) Clamp both centronics cable and FDD cable, with connector lock pins.
- (5) Connect 5" FDD power cable to its corresponding connector of MAIN UNIT, and connect MAIN UNIT power cable to power supply receptacle of MAIN UNIT.

- 6 Power switch of printer should be OFF, then connect each power supply cable to its AC plug socket.
- (7) Attach grounding cable of printer to lower side of printer power supply cable, and clamp it to grounding cable connection position of MAIN UNIT together with grounding cable of 5" FDD.

#### MAIN UNIT + 8" FDD



Fig. 4,2,21

- After unpacking, set power switch of MAIN UNIT and 8" FDD to OFF, confirm set positions of P.C.B switches in MAIN UNIT and 8" FDD-I/F P.C.B. See parapraph 4.2.3. Connect KEYBOARD cable, centronics cable, and 8" FDD cable to respective conneectors of MAIN UNIT, as in Fig. 4.2.21.
- (2) Clamp both centronics cable and 8" FDD cable with connector lock pins.
- (3) Connect main unit power supply cable and 8" FDD power supply cable to their corresponding receptacle.
- (4) After checking that printer power switch set to OFF, connect printer power supply cable to AC power receptacle.
- (5) Clamp printer grounding cable to the part below printer power supply cable. Then, lock it together with 8" FDD grounding cable with grounding cable retaining screw of MAIN UNIT.

# MAIN UNIT + 5" FDD + 8" FDD

Installation is the same as in MAIN UNIT +5" FDD or the MAIN UNIT +8" FDD, except for the application of a FDD expansion cable for FDD connector 1, as in Fig. 4.2.18.



Fig. 4.2.22

Note: Attach device seals C and D to positions marked A and B on the front of 8" FDD.

#### MAIN UNIT + 8" FDD + 8" FDD

Refer to installation of MAIN UNIT +8" FDD.



Fig. 4.2.23

Note: Attach device seals C and D to positions marked A and B on the front of 8" FDD. Refer to "a" of Fig. 4.2.23.

- 4.2.4 Turning-on of power supply, brightness adjustment, and speaker output adjustment
  - 1. Turning-on of power supply.

When 5" FDD is to be connected to MAIN UNIT according to following sequence.

- (1) Turning-on power supply
  - l) Turn on power supply to printer.
  - 2) Set system media to 5" FDD.
  - 3) Turn on power supply to MAIN UNIT.
- (2) Turning-off power supply
  - 1) Turn off printer power supply.
  - 2) Turn off MAIN UNIT power supply.

When 8" FDD is to be connected to MAIN UNIT

(1) Turn on power supply

- (1) Turn on power supply to printer.
- 2) Turn on power supply to 8" FDD.
- $\overline{3}$  Set system media to 8" FDD.
- (4) Turn on power supply to MAIN UNIT.

(2) Turning-off power supply

- (1) Turn off printer power supply.
- Turn off 8" power supply.
- 3) Turn off MAIN UNIT power supply.

## 2. Brightness adjustment

Approximately 15 minutes after power supply is turned on MAIN UNIT and with brightness control knob on left front of MAIN UNIT panel, adjust brightness of CRT display.

#### 3. Speaker output adjustment

Remove the rear cover of MAIN UNIT (see paragraph 3.1 of Chapter 3). Remove system media after OS is loaded in, then adjust speaker tone with entering keys by the speaker output control knob on I/O-CONT-P.C.B. as in Fig. 3.1.4.

#### 4.2.5 Execution of test program and confirmation

Refer to "TEST PROGRAM OPERATIONAL MANUAL" separately provided for details regarding the execution of a test program.

#### 4.3 Installation of Options

## 4.3.1 I/O-MOTHER-E P.C.B

- Remove both rear cover and upper cover. See paragraph 3.1.
- 2 Referring to paragraph 5.2.2 of Chapter 5, pull out power supply unit half its entire depth, and disconnect each cable.



(For 115,120V)



(For 230,240V)



(3) Install the I/O MOTHER mounting plate, using three retaining screws as shown in Fig. 4.3.1.





#### (For 230,240V)

(For 115,120V)

#### Fig. 4.3.2

- (4) Clamp I/O-MOTHER-E P.C.B. to I/O MOTHER mounting plate, with six retaining screws, in Fig. 4.3.2.
- (5) Connect I/O MOTHER DC cable of I/O-MOTHER-E P.C.B. to No. 4 connector (Fig. 5.2.4) of switching regulator.
- 6 Lock grounding cable from I/O-MOTHER-E P.C.B. to chassis of power supply unit, as in Fig. 5.2.2.
- (7) Rass I/O MOTHER internal cable between MOTHERBOARD rack and CRT unit.
- (8) Connect I/O MOTHER internal cable to I/O MOTHER connector (Fig. 3.1.5) on MOTHERVOARD with alignment ▲ mark.

## 4.3.2. Optional interface

The installation location varies with each option interface as shown in Fig. 1.1.1.

(1) Serial data interface

For serial data interface, two types are available, one to be connected to I/O-MOTHER-E P.C.B., and the other to CPU+I/O-CONT P.C.B.

 i) RS232C P.C.B. However, be careful because the 25P mounting plate of RS232C P.C.B. is different according to the location. (The rear side of each 25P mounting plate has an A mark.) No. 2 and 3 marked + Make sure whether or not 25P mounton rear panel ing plate A (alphanumeric mark: EA4-0079) is fitted to RS232C P.C.B.

No. 4 marked on + Exchange 25P mounting plate A to B rear panel

- Remove both rear and upper covers. See paragraph 3.1 of Chapter 3.
- Pull out power supply unit half its depth (paragraph 5.2.2), and remove power supply unit reingorcement mount with four retaining screws as in Fig. 4.3.3.

3 Remove cover plate clamped to power supply unit with two retaining screws.



Fig. 4.3.4

RS232C P.C.B

4-

4-23

I/O-MOTHER-E P.C.B.

6

Fix power supply unit reinforcement mount in position, and clamp grounding cable from I/O-MOTHER-E P.C.B. to chassis of power supply unit (see Fig. 5.2.2).



Fig. 4.3.5

ii) RS232C-2 P.C.B.

RS232C-2 P.C.B. is connected to CPU+I/O-CONT P.C.B. with only No. 5 marked on rear panel.

- (1) Remove rear and upper covers. Refer to 3.1.
- (2) Remove CPU+I/O-CONT P.C.B. from MAIN UNIT by reference to 5.2.1.



Fig. 4.3.6 CPU+I/O-CONT P.C.B

(3) As in Fig. 4.3.6, connect RS232C 2 P.C.B. to CPU+I/O-CONT P.C.B while paying attention to the connector. (Fix it using two screws on soldered side of CPU-I/O-CONT P.C.B.)





(4) As in Fig. 4.3.7, remove the palte to cover option interface connector.



Fig. 4.3.8

As in Fig. 4.3.8, connect RS 232C-2 cable to RS 232C 2 P.C.B.



RS 232C-2 port connector.

Fig. 4.3.9

As in Fig. 4.3.9, fix connector with 2 screws.

#### Connection of RS232C

#### (1) Pin assignment

00000 0 0 0 0 0 0 0 0 0 0 0 20 o 0

RS232C Port (See Fig. 4.3.5 and 4.3.9)

Pin	Signal		EIA Signal
1	FG (Protective Ground)	· · · · · · · · · · · · · · · · · · ·	AA
2	TXD (Transmitted Data) Transmission da	ta from DEVICE	BA
3	RXD (Received Data) Receiving data	to DEVICE	BB
4	RTS (Request to Send) Data transmissi	on REQUEST	CA
5	CTS (Clear to Send) AS-100 is ready	for sending	CB
6	DSR (Data Set Ready) AS-100 READY	tes tet a	CC
7	SG (Signal Ground)		AB
8	DCD (Received Line Signal Detector) Car	rier detector	CF
20	TRDY (Data terminal Ready) DEVICE READ	Y	CD

Note: Other pins are none connector.

## (2) Connections



#### Fig. 4.3.6

- \* Connect device as in Fig. 4.3.6.
- \* When the device has not some of the signals such as TXD, CTS and DCD, these signals are required no connection.

(2) Parallel data interface CNT I/F P.C.B.

For CNT I/F-2 P.C.B, number 2 marked on the rear panel is only connectable. Connection method is the same as for RS232C P.C.B.

(3) Communication interface (SIO P.C.B)

For SIO P.C.B, number 3 marked on the rear panel is only connectable. Connection method is the same as for RS232C P.C.B.

(4) SIO PCB SWITCH

SW (Printed name)



ана. Алариана — А
#### 4.3.3 VIDEO MEMORY

Video memory expansion is performed only for B/W display. When the video memory is added, the "CPU + I/O-COUNT" P.C.B. and the

JP circuit of the "CPT-CONT2-B/W" P.C.B are required to be switched.

- (1) Remove the rear and upper covers. (Refer to 3.1 in Chapter 3.)
- (2) Remove CRT-CONT2-B/W P.C.B. from MAIN UNIT by



Option video memory area 32KB with socket (G picture)

#### Fig. 4.3.11

(3) Expansion area of option video memory is provided with socket for 16 additional video memory chips (32KB).

Note: Pay attention direction of each video memory chip prior to expansion.

After the additional installation has been completed, solder the JP circuit of (a) section illustrated in Fig. 4.3.11 as in Fig. 4.3.12.

JP circuit	•	Switch JP circuit
$2 \circ \rightarrow 1$	$2 \rightarrow 0 1$	from screen 1 to screen 2.
Fig. 4	.3.12	circuit screen 1, on screen 2.)

(5) Remove CPU + I/O-CONT P.C.B from MAIN UNIT and set SW2 No. 5 located on CPU + I/O-CONT P.C.B to "OFF". (Refer to 1.2.2 of Chapter 1).

### 4.3.4 Optional Memory Board

Three kinds, board I, board II and board III are available for optional memory boards. Expansion memory capacity is different in 128KB, 256KB and 384KB types.



- Optional memory board expansion
- 2 RS 232C-2 P.C.B. expansion
- 3 RTC expansion

Fig. 4.3.12 CPU+I/O-CONT P.C.B.

- ① Remove rear and upper covers. See paragraph 3.1 of Chapter 3.
- 2 Remove CPU+I/O-CONT P.C.B from MAIN UNIT by referring to 5.2.2 in Chapter 5.
- (3) As in Fig. 4.3.13, attach memory board to CPU+I/O-CONT P.C.B. with care in connecting connector. Attach it with 4 screws on soldered side of CPU+I/O-CONT P.C.B.



OPTION MEMORY BOARD

Fig. 4.3.13

# 4.3.5 Pointing Device

Connect pointing device connector to its position on KEYBOARD. (See Fig. 3.1.7.)

Chapter 5 Replacement and Adjustment of Units

- 5.1 Unit configuration
- 5.2 MAIN UNIT
  - 5.2.1 P.C.B
  - 5.2.2 Power supply unit
  - 5.2.3 CRT unit
  - 5.2.4 Fuse replacement
- 5.3 KEYBOARD
  - 5.3.1 KEYBOARD
  - 5.3.2 Key top
- 5.4 5" FDD
  - 5.4.1 MDD-220 5-4.2 5" FDD-I/F
- 5-5 8" FDD
  - 5.5.1 YD-180
    5.5.2 8" FDD-1/F
    5.5.3 Power supply unit

# Chapter 5 Replacement of Units and Adjustment after Replacement

Prior to replacing each units, turn off power switch and unplug power cord from receptacle.

5.1 Unit configuration and general assembly

Refer to APPENDIX.

- 5.2 MAIN UNIT
- 5.2.1 P.C.B



Fig. 5.2.1

# (1) CPU+I/O-CONT P.C.B.

- First remove rear and upper covers (see paragraph 3.1 of Chapter 3). Then, disconnect CRT internal cable from CRT-CONT2-B/W P.C.B.
- (2) Disconnect grounding cables from individual P.C.B. and chassis of power supply unit.
- (3) Disconnect FDD internal cable from CPU+I/O-CONT P.C.B.
- (4) Remove CPU+I/O-CONT P.C.B from MAIN UNIT.
- (5) After confirming switch set position for CPU+I/O-CONT P.C.B (see paragraph 4.2.2), connect it in reverse order of above steps.
- (2) CRT-CONT 2-B/W P.C.B.
  - First remove rear and upper covers (see paragraph 3.1). Then, disconnect CRT internal cable from CRT-CONT2-B/W P.C.B.
  - ② Disconnect the grounding cables, which are extending from individual P.C.Bs, from the chassis of the power supply unit.
  - 3 Remove CRT-CONT2-B/W P.C.B from MAIN UNIT.
  - ④ Connect spare CRT-CONT2-B/W P.C.B in reverse order of above steps.

#### Color Display

- (1) CPU+I/O-CONT P.C.B
  - First remove rear and upper covers (see paragraph 3.1). Then, disconnect CRT internal cable from CRT unit.
  - $2 \sim 5$  Same as for B/W display

# (2) CRT-CONT2-C

 Remove rear and upper covers (see paragraph 3.1). Then, disconnect CRT internal cable from CRT unit.

 $2\sqrt{4}$  Same as for B/W display

[Adjustment]

Test program check of operation.

#### 5.2.2 Power supply unit

Procedure of power supply unit replacement is the same for B/W and color displays

(1) SWITCHING REGULATOR

- Remove both rear and upper covers (see paragraph 3.1.1 of Chapter 3).
- (2) Disconnect FDD internal cable from CPU+I/O-CONT P.C.B
- 3 Disconnect grounding cables which are attached to individual P.C.Bs, power supply unit, and MOTHERBOARD RACK.





(4)

Remove two retaining screws from power supply unit. Fig. 5.2.3 shows location of these retaining screws.



Fig. 5.2.3

(5) Pull out power supply unit half its depth as in Fig. 5.2.4. Then, disconnect 5" FDD internal cable and MOTHERBOARD DC cable from SWITCHING REGULATOR.



Fig. 5.2.4

- 6 Pull out power source unit from MAIN UNIT, and disconnect AC input cable and grounding cable (Fig. 5.2.5) from SWITCHING REGULATOR.
- (7) Remove four retaining screws of SWITCHING REGULATOR to remove it. (Fig. 5.2.5).



(For 230,240V)

### Fig. 5.2.5

(8) Mount replaced SWITCHING REGULATOR in position, and connect both AC input cable and grounding cable to SWITCHING REGULATOR and 5" FDD connector to red CN5.

# [Adjustment]



Fig. 5.2.6

Adjust VR1 of SWITCHING REGULATOR shown in Fig. 5.2.6, with insulated screwdriver so that +5V of MOTHERBOARD will be +5.1V.

Use an insulated screw driver since high voltage are applied to heat sink and collector of transistors having caution labe.

Connectors	Connector No.	Pin No.	Voltage
5" FDD internal power	CN5	1	+12V
supply connector		2	GND
		3	GND
		4	+5V
I/O MOTHER power supply	CN4	1	-12V
connector		2	+12V
		3	GND
		4	+5V
MOTHERBOARD power supply	CN3	1	-12V
connector		2	+12V
		3	GND
		4	+5V

#### Table 5.2.1

# 5.2.3 CRT unit

### Black/White display

- (1) Remove both rear and upper covers (see paragraph 3.1)
- (2) Disconnect brightness control VR cable and CRT power supply cable from CRT unit and CRT internal cable from CRT-CONT 2 B/W P.C.B.
- (3) As shown in Fig. 5.2.7, mark set position of CRT unit.
- (4) Remove five retaining screws (Fig. 5.2.7) of CRT Unit, and remove it from MAIN UNIT.



- (5) Remove shield plate from removed CRT unit by loosing two retaining screws.
- (6) Fit shield plate to spare CRT unit.
- (7) Mount spare CRT unit to MAIN UNIT, and tighten retaining screws while aligning it to marked set position.
- (8) Connect disconnected cables.

# Color display

- Remove both rear and upper covers as in paragraph 3.1 of chapter 3.
- (2) Disconnect brightness control VR, CRT internal cable and CRT power supply cables from CRT unit in Fig. 5.2.8.



Fig. 5.2.8

- (3) Set position mark of CRT unit.
- (4) Remove four retaining screws of CRT unit. (Fig. 5.2.8)
- (5) Cut off the band binding key internal cables which are fixed at the front of CRT unit, and take out the fan cable.
- 6 Remove CRT unit from MAIN UNIT, then remove the shield plate from CRT unit by two retaining screws.
- (7) Fit shield plate to spare CRT unit.
- 8 Mount spare CRT unit to MAIN UNIT, and tighten retaining screws while aligning it to the marked set position.
- (9) Connect all disconnected cables.

[Adjustment] (Same for B/W and COLOR)

Confirm the operation with a test program

# 5.2.4 Fuse replacement

- (1) Keyboard fuse on MOTHERBOARD
- (1) Remove both rear and upper covers (see paragraph 3.2).
- (2) Replace fuse shown in Fig. 5.2.9 on MOTHERBOARD.



Fig. 5.2.9

(2) 5" FDD fuse

- (1) Remove both rear and upper covers (see paragraph 3.2).
- Pull out power supply unit about half its depth. Refer to 5.2.2.
- (3) Replace two 5A fuses as in Fig. 5.2.10.



Fig. 5.2.10 (For 120,230,240V)

#### 5.3 KEYBOARD

#### 5.3.1 KEYBOARD (outer cover)

- Remove outer cover according to paragraph 5.3.2.
- 2 Care should be taken not to accidentally cut pointing device cable inside keyboard in removal.

## 5.3.2 KEY TOP

(1)Remove key top requiring replacing as shown in Fig. 5.2.11.



Fgi. 5.2.11

2 Apply adhesive to rear side of key top, and set it on its corresponding key stem, firmly pressing key top against stem.

#### 5.4 5" FDD

# 5.4.1 Mini floppy disk drive (MDD-220)

(1) Replacement



Fig. 5.4.1

- Insert shipping sheet 5" into MDD-220
- 2 Remove housing plate (see (1) of paragraph 3.3.1)
- ③ Disconnect MFDD signal cable and MFDD DC cable from each MDD-220.

④ Remove four retaining screws in Fig. 5.4.1 from mounting plate.

(5) Remove MFDD retaining screws of defective mini floppy disk drive A or B, to remove it from its mounting plate.



Fig. 5.4.2

- 6 Check set position of DIP switch of replacing mini floppy disk drive (see (3) or paragraph 4.2.2), mount mini floppy disk drive according to dismounting reverse procedure.
- (2) Adjustment

Check the operation a test program.

# 5.4.2 5" FDD-I/F P.C.B.

### (1) Replacement

- (1) Remove housing plate ( (1) of paragraph 3.3.1 ).
- 2 Disconnect both MFDD signal cable and MFDD DC cable from mini floppy disk drives A and B.
- (3) Disconnect grounding cable from 5" FDD-I/F P.C.B.
- (4) Remove five retaining screws from 5" FDD-I/F.
- (5) Remove 5" FDD power cable clamp from two retaining screws from chassis of 5" FDD-I/F P.C.B.
- 6 After confirming set positions of 5" FDD-I/F P.C.B. switches (see (2) of paragraph 4.2.2), mount the replaced 5" FDD-I/F P.C.B. according to dismount reverse procedure.



Fig. 5.4.3

# (2) Adjustment

Check the operation with a test program.

#### 5.5 8" FDD

### 5.5.1 Floppy disk drive (YD-180)

(1) Replacement

- 1) Insert shipping sheet 8" into YD-180.
- 2 Remove outer cover (see (1) or paragraph 3.4.1).
- 3 Take out SFD signal cable from tie band.
- ④ Disconnect SFD signal cable and DC cable from 8" FDD-I/F PCB.
- 5 Disconnect DC cable from YD-180 and also fan DC cable.
- 6 Remove six retaining screws specified in Fig. 5.5.1.



### Fig. 5.5.1

⑦ Disconnect SFDD signal cable from YD-180.

(8) Remove six retaining screws of floppy disk drive mounting plate (A).



Fig. 5.5.2

(9) Remove defective YD-180 from floppy disk drive mounting plate (B).



After confirming set positions of replacing YD-180 switches
 (3) of paragraph 4.2.2 , mount YD-180 in removal reverse procedure.

# (2) Adjustment

Confirm the operation with a test program.

# 5.5.2 8" FDD-I/F P.C.B.

(1) Replacement



1) Remove housing plate ((1) of paragraph 3.4.1).

Disconnect grounding cable from 8" FDD-I/F P.C.B.

- ③ Disconnect FDD signal cable and DC cable from 8" FDD-I/F P.C.B.
- ④ Disconnect SFDD cable from YD-180.
- 5 Remove four locking support from 8" FDD-I/F P.C.B.
- After confirming set positions of replacing 8" FDD-I/F
   P.C.B switches (see paragraph 4.2.2), mount 8" FDD-I/F
   P.C.B according to opposite removal procedure.

### (2) Adjustment

Confirm the operation with a test program.

# 5.5.3 Power supply unit

5.5.1 Referring to (2)  $\sim$  (6) of paragraph 5.5.1 (1) remove power supply unit.



Fig. 5.5.5

# Replacement of power supply unit

- 1 Disconnect all cables from power supply unit.
- ② Remove four retaining screws from rear side of base plate to remove power supply unit.



③ Mount replacing power supply unit in the reverse way to the removal. 8" FDD Fuse

1) Replace two 5A fuses 8" FDD as in Fig. 5.5.7.



Fig. 5.5.7

Table 5.5.1

Cables	Pin No.	Cable color	Voltage	Destination
SFDD DC cable	1	Red	+24V	
	2	Blue	GND	
	3	Yellow	+5V	YD-180 x 2
	4	Black	GND	
	6	Brown	GND	
P.C.B. DC cable	1	Yellow	+5V	8"-FDD-I/F P.C.B
	2	Black	GND	0 100 1/1 1.0.B.
FAN DC cable	1	Blue	GND	FAN
	2	Red	+24V	





(For 120,230,240V)

Fig. 5.5.8

# ADJUSTMENT

Adjust the VR101 with an insulated screw-driver so that +5V may be obtained at the +5V terminal of the power supply.

# Chapter 6 Periodical Maintenance

6.1 5" FDD

6.1.1 Periodical maintenance items

6.1.2 Periodical maintenance

6.2 8" FDD

6.2.1 Periodical maintenance

6.2.2 Periodical maintenance

6.3 PRINTER

### Chapter 6 Periodical Maintenance

S. Again yay

Following units require periodical maintenance.

- (1) 5" FDD (MDD-220) Yearly
- (2) 8" FDD (YDD-180) Yearly static destations and

Following tools are necessary for periodical maintenance.

- 1) CLEANING DISKETTE 5"
- 2) CLEANING DISKETTE 8"

Periodical maintenance includes cleaning MAIN UNIT and other devices.

6.1 5" FDD (MDD-220)

6.1.1 Periodical maintenance items

(1) Cleaning head Yearly

6.1.2 Periodical maintenance procedure

With CLEANING DISKETTE 5", clean head of 5" FDD for 5 seconds while running "TRK ADJ" test program.

For details regarding TRK ADJ test program, refer to "TEST PROGRAM OPERATIONAL MANUAL" provided separately.

- 6.2 8" FDD (YD-180)
- 6.2.1 Periodical maintenance items(1) Cleaning head Yealy

# 6.2.2 Periodical maintenance procedure With CLEANING DISDETTE 8", clean head of 8" FDD for 1 minute while running TRK ADJ test program. For details regarding TRK ADJ test program, refer to the "TEST PROGRAM OPERATIONAL MANUAL" provided separately.

alters end balance and a second

Subtraction States and the second

(3) 建设工作 化合物 医原因 的复数试验 化均衡 化均衡 (3)

이 것은 같은 사람들은 물로 가는 것 같아. 이 같은 것은 것은 것은 것을 것 같아. 아이는 것 것 같아.

Materia and an antipology and all all substances of the state

6.3 PRINTER and the second sec

Refer to certain printer "TECHNICAL GUIDE".

Chapter 7 Troubleshooting

7.1 At System Up.

7.1.1 Error message 1

- 7.2 OS control error
- 7.3 System and µ debugger commands
  7.3.1 MSDOS system command
  7.3.2 CP/M-86 system command
- 7.4 DCOPY (media copy program) operation

Chapter 7 Troubleshooting

7.1 At System Up.



# 7.1.1 Error message 1

When a trouble is detected in initial check of self-analysis, CRT display displays the following error message:

<u>XX</u>

=

Remedy: Replace CPU + I/O-CONT P.C.B Optional memory P.C.B

(2) ERR CODE

---- Error code No.

Error code No.	Cause	Remedy
02	ROM check sum error	Replace ROM Replace CPU-E P.C.B.
03	PTM-6840 error	Replace CPU-E P.C.B.
04	Key circuit error	Replace I/O CONT P.C.B. Replace KEYBOARD

Table 7.1.1

# 7.2 OS control error

For error correction, refer ot CP/M Users 'Guide or MSDOS Users' Guide. After troubleshooting, always apply a test program to the system.
## 7.3 System and $\mu$ -debugger commands

Two MSDOS and CP/M-86 system commands are available, depending on the application of OS control.

Command concerning to hardware are described here, and for other commands and their details, see <u>MSDOS User's Guide</u> or <u>CP/M-86</u> User's Guide.

µ-debugger commands are debugger commands designated in firmware.

#### 7.3.1 MSDOS system commands

(1) Control character commands

Each of control character commands is entered by combination of  $\overline{CRTL}$  key with some specific key. Each of these commands is applicable even when the CRT display is not showing system prompt (for  $\overline{ex}$ . A>).

Control characters	Description of controls	
CTRL-C	Return ot system from execution program (control is effective when input of program output.	
CTRL-P	Halt hard copy operation.	
CTRL-P	Restart hard copy operation.	
CTRL-S	Temporary stop (release is by any key).	
CTRL-CANCEL	Same as CTRL-C (command clears previous data entry).	
CTRL-ALTER-DELETE	Software reset (excecute at IPL)	
CTRL- A -CLEAR	Hard copy.	

#### (2) Built-in commands

The built-in commands is entered only when CRT display is showing system prompt (For ex. A >) which are used in combination with certain parameters.

System Prompt	lst parameter	2nd parameter
$\overrightarrow{A} > \overrightarrow{\downarrow} COMMAND                                   $	DEVICE: FILE NAME	. EX _ DEVICE: FILE NAME. EX 2nd file name : Up to 3 (can be omitted) alphanumeric characters
		File name : 8 alphanumeric characters, starting with an alphabetical character
		Device name : Given with one (can be omitted) of alphabetical characters from A to D
	·	Current device name

For file name and EX, wild card "\*" and character conversion symbol "?" are avaukable.

Command entry is terminated by pressing [] key or ENTER key.

2nd file name Comment	
BAT	Batch file
СОМ	Command file
EXE	User-program object

## Table 7.3.2

#### COPY (File Copy)

COPY — 1st parameter — 2nd parameter (2nd parameter is omissible.)

Contents of the 1st parameter file are copied in 2nd parameter file.

· 2nd parameter file, a new file is prepared.

. When 2nd parameter is omitted,

lst parameter matches current device ----→ Error lst parameter unmatches current device ----→ Copy onto current device

. Command ends with message "O File(s) Copied" at error.

DEL (File Delete)

DEL - 1st parameter

1st parameter file is deleted.

DIR (Directory Display)

DIR - 1st parameter (1st parameter is omissible.)

Directory of 1st parameter file is desplayed.

. When 1st parameter is omitted, directory for all files is displayed.

REN (File Rename)

REN -1st parameter -2nd parameter

Name of 1st parameter file is renamed into 2nd parameter file name.

- . The 2nd parameter device name is omitted.
- . Both the wild card (\*) and the character conversion symbol (?) cannot be used with 1st parameter.
- TYPE (Type File Contents)

TYPE -1st parameter

Contents of 1st parameter file are displayed in character format.

DATE (Date Entry) (Media must be set as required.) DATE

Current date is MM-DD-YYYY Enter a new date:

Current date display and registration of new date.

- . When there is no reregistration only enter ENTRY key.
- For a misinput, "INVALID DATE" is displayed and requests re-entry.

TIME (Time Entry) (Media must be set as required.)

TIME

Current time is HH:MM:SS:CC. Enter a new time:

Current time display and registration of new time.

. When there is no reregistration, only enter ENTRY key.

. :

• For misinput, "INVALID TIME" is desplayed and request re-entry.

# FORMAT (Formatter)

# FORMAT - 1st parameter

Initialize media of 1st parameter device.

- . 1st parameter is only device name.
- . 5" floppy disk 512 bytes/sector
  - 8" floppy disk 1024 bytes/sector

# 7.3.2 CP/M-86 system commands

(1) Control character commands

Characters	Description
CTRL-C	Current program under specified console is suspended.
CTRL-E	Returns printer carriage, but this command is not trans- ferred to CP/M-86.
CTRL-H	Back space
CTRL-J	Ends data input and line feed.
CTRL-M	Similar to command of carriage return.
CTRL-P	This command echoes all commands designated from the console to the printer. When this command is input once more, it stops echoing the via console commands to the printer. This command is effective only when the printer is connected to the computer system.
CTRL- <u>R</u>	Current command typed in again, CTRL-R command is serviceable after pressing RUN or DEL key.
CTRL-S	Temporarily stops output of list into console, however, same command is input once more, the output is resumed. Console list.
CTRL-U	Deletes line. While at the same time, CRT display shows∦, with console moving down by one line and waiting for a new command.
CTRL-X	All characters in line with are deleted.
CTRL-Z	String or field separator.

Table 7.3.3

## (2) Built-in commands

The built-in commands can be entered only when CRT display is showing system prompt (for ex. A>) which are in combination with some parameters.

Prompt	lst	parameter	2nd parameter	
$\overrightarrow{A} > \overrightarrow{}$ COMMAND $\overrightarrow{}$	EVICE:	FILE NAME.	$\overline{X} = \overline{DEVICE: FILE NAME: EX}$	
SPACE KEY			2nd file name : Up t (Can be omitted) nume char	o 3 alpha- ric acters
			File name : 8 al char begi cert ical	phanumeric acters nning with a ain alphabet- character
			Device name : Give (Can be omitted) the char A to	n with one of alphabetical acters from D
			Current device name	

For file name and EX, the wild card "\*" and the character conversion symbol "?" are available.

Command entry ends by pressing \_\_\_\_\_ or ENTER key.

2nd file names	Comment	
SUB	Batch file	
СОМ	User-prepared object	
SYS	Module of the CP/M-86	

Table 7.3.4

## DIR (Directory Display)

DIR - 1st parameter

Directory of 1st parameter file is displayed.

. When 1st parameter is omitted, all directories of user numbers (specified by user command) of current device are displayed; however, SYS file is not displayed.

DIRS (System Directory Display)

DIRS - 1st parameter

DIRS is the same as DIR, except for SYS file display.

ERA (File Erase)

```
ERA - 1st parameter
```

lst parameter file is deleted.

. Enter Y or N while

"ALL=Y/N ?" is displayed.

REN (File Rename)

REN - 1st parameter = 2nd parameter

lst parameter file name is renamed in 2nd parameter file name.

. Note that designation of 1st parameter device name must be the same as 2nd parameter device name.

#### TYPE

(Type File Contents)

TYPE 🖵 1st parameter

The contents of 1st parameter file are displayed in character format.

USER (User Number)

USER rightarrow n = 0  $\sim$  15

CRT display shows a current user number; n, the user number is changed by entering parameter n.

Following commands are available only when system media is set as required.

COPY DISK (Copy Disk)

COPY DISK

Entire contents of one floppy disk are copied onto another floppy disk. Enter following parameters after entering this command.

Enter Source Disk Drive (A-D)? Destination Disk Drive (A-D) Is this what you want to do (Y/N)? Copy another disk (Y/N)?

PIP (Peripheral Interchange Program)

PIP - 1st parameter - Gn = 2nd parameter (n of Gn is a user number)

Contents of 2nd parameter file are copied in 1st parameter file.

. When 1st parameter represents a device number only, 2nd parameter is copied as it is.

. When Gn is not designated, copy onto a current user number file.

STAT (Status Display)

STAT \_\_ d: \_\_ (d means drive number)

CRT display shows floppy disk status.

- . When "d" is not designated, the status of each of the entire usable floppy disk drives is displayed.
- . Status over the usable area is given in the K-byte unit.

```
STAT _ lst parameter _ SIZE
Attribute of file is displayed as follows:
. When SIZE is omitted, the file size is not displayed.
File size No. of records File capacity FCB number
(File Size No. of records File Control Block)
Attribute File name
STAT _ lst parameter _ RO _ SYS
RW _ DIR
```

RO : Read only RW : Read/Write	These two cannot be specified at the same time.
SYS: System access	These two cannot be specified
DIR: Directory access	] at the same time.

Specify attribute of file

. No omission of both RO/RW and SYS/DIR.

STAT  $- d: - \frac{DSK:}{USR:}$ 

Status of the designated floppy disk drive (DSK) or a user number (USR) is displayed.

STAT - VAL:

CRT display displays a general type of STAT command and a physical device name.

Commands are also applied in other means. For details, see CP/M Users' Guide.

TOD (Time or Date)

 $\operatorname{TOD} \_ \Pr^{\mathsf{TIME} \ \mathsf{SPEC}}_{\mathsf{P}}$ 

Current date and time display and exchange them.

- . TIME SPEC is designated in format of MM/DD/YY, HH:MM:SS.
- . With P parameter, the date and time are displayed continuously (display stops by entering any key).

#### FORMAT (Formatter)

FORMAT - 1st parameter

Media of 1st parameter device is initialized.

. 1st parameter is only device name.

5" floppy disk	512 bytes/sector
8" floppy disk	1024 bytes/sector

#### 7.3.3 $\mu$ -debugger commands

The  $\mu$ -debugger is built in ROM of CPU. The vector tables other than those of single step, NMI, and break point and addresses from 400H  $\sim$  FFFFF<sub>H</sub> (address from 350<sub>H</sub>  $\sim$  3FF<sub>H</sub> is appropriated for  $\mu$ -debugger) within system memory area are accessibled.

I/O memory area except in DISPLAY CONT are also accessible.

(1) Command table

Commands and their meanings		Key operations (See abbreviations)	
В	(Boot)	B[ <n>] [D]<cr></cr></n>	
D	(Display Memory)	D[W] <addr>[,<addr2>]<cr></cr></addr2></addr>	
G	(Go) second and year	G <cs:ip><old>[<addr>[,<brk>]]<cr></cr></brk></addr></old></cs:ip>	
I	(Port Input)	I[W] <port><cr ,=""></cr></port>	
N	(Single Step)	N <cs:ip><old>[<addr>]<cr ,=""></cr></addr></old></cs:ip>	
0	(Port Output)	O[W] <port>,<new><cr ,=""></cr></new></port>	
R	(Read Hex File)	R[ <bias>]<cr></cr></bias>	
S	(Substitute Memory)	S[W] <addr>,<old>[<new>]<cr ,=""></cr></new></old></addr>	
X	(Examine/Modify Register)	X <cr> X<reg><old>[<new>]<cr ,=""></cr></new></old></reg></cr>	

#### Table 7.3.5

Any of alphabetical characters within [ ] can be omitted from designation. Underlined alphabetic characters are debugger outputs. Any of alphabetical characters within < > is an abbreviation.

#### Abbreviations

D:

Sometimes specified with a BOOT command which signifies that a debugger return is effected after ending Boot.

#### W:

Sometimes specified after a command which signifies that the contents of operation to be done with this command are word unit. If W is not designated, the contents above are byte unit.

#### <ADDR>

For address which designates address both segment and offset. When an omission is made from specified segment, contents of CS are specified. The specification with numeric value in hexadecimal notation of four digits. The name <REG> register is specified for a numeric value.



#### <ADDR2>

For 2nd address with value of segment given with a <ADDR>, therefore, the designation is of an address only with numeric value in hexadecimal within four digits. The name of the register is specified for a numeric value.

#### <BIAS>

Represents bias at program loading with designation of a numeric value in hexadecimal and within four digits. The name of the register is a designatable for a numeric value.

#### <br/> <br/>

Signifies break point with designation been the same as <ADDR>.

#### <CR>

Key entry of carriage return.

#### <CR/,>

For key entry of carriage return or comma. When the carriage return key is entered,  $\mu$ -debugger is waiting for command entry. On the other hand, if comma key is entered, the same command will be executed at succeeding address. The succeeding address remarked here signifies the following.

- . Current address +1 (however, I and O commands are excluded) in the case of the byte access command.
- . Current address +2 in the case of the word access command.
- . Current address + number of bytes of the executed command in the case of the single step command.

#### <CS:IP>

For display message with contents of code segment and instruction pointer displayed in hexadecimal and within four digits.

#### <N>

Designated Boot device No. with n=0 corresponding to drive A.

#### <NEW>

New data is to be loaded into each register or memory. Depending on command, data is designated in hexadecimal and with two or four digits.

#### <OLD>

Read data in each register or memory. The data is displayed in the hexadecimal and with two or four digits, depending on the command.

#### <PORT>

Designated port address in hexadecimal with four digits.

#### <REG>

Each register of 8088 is indicated with two alphabetical characters as in the TAble below:

Register Name	Abbreviation
Accumulator	AX
Base	BX
Count	СХ
Data	DX
Stack Pointer	SP
Base Pointer	BP
Source Index	SI
Destination Index	DI
Code Segment	CS
Data Segment	DS
Stack Segment	SS
Extra Segment	ES
Instruction Pointer	IP
Flag	FL

#### Table 7.3.6

#### (2) Operation Procedure

#### START

Following two methods are available for starting debugger.

- (1) Turn on power switch of MAIN UNIT without media setting in drive "A". At this CRT display gives the message of debugger start and it successively indicates "\*" and waiting for debugger command entry.
- (2) Press STOP key when running. Contents of CS and IP are displayed in hexadecimal with four digits following "@". Then, CRT display shows "\*" for command entry. Initial display of each content is not always given on the left side or the \*-display area of CRT screen.

#### COMMANDS

B (Boot)

B [<N>][D]<CR>

Initial boot is performed with the floppy disk drive "A". N is fixed to "0". If D has been designated, a debugger returns into initial boot.

D (Display Memory)

D[W]<ADDR>[,<ADDR2>]<CR>

Contents of respective addresses from <ADDR> to <ADDR2> are displayed in word or byte unit. If <ADDR2> is omitted, address contents of <ADDR> are displayed. Both segment and address concerned are displayed, prior to the display. When address <ADDR2> is smaller than that of <ADDR>, error message is displayed. G (Go)

# G<CS:IP><OLD>[<ADDR>[,<BRK>]]<CR> Execute the program

If=<CS:IP> is set execution begins at the address specified to execution start at address specified, enter <CR>, or to change execution address, enter <ADDRESS> as specified, to set break point, enter <CR> after <BRK> input. When <BRK> is designated, following message BR@<CS:IP> displayed and returns to command.

I (Port Input)
I[W]<PORT><CR/,>

When contents of designated port are displayed, then enter <CR/,>. When comma is entered, contents of the same port is displayed at a time difference of same displayed port.

N (Single Step)
N<CS:IP><OLD>[<ADDR>]<CR/,>

Contents of designated CS and IP are displayed in hexadecimal and with four digits. Enter <CR/,> to execute single step. To change the address of the program execution, enter <ADDR> with its entry, and next instruction CS and IP is displayed after current instruction has been executed.

0 (Port Output)
0[W]<PORT>,<NEW><CR/,>

Data set at designated port. If comma is entered,

the hyphen is displayed, allowing the succeeding data to be set at the same port (at this time, the designated same port is given some time difference).

R (Read Hex File)

R[<BIAS>]<CR>

Data of Intel Hexa Format is transferred from RS-232C inside I/O controller to memory. When  $\langle BIAS \rangle$  is designated, each load address +  $\langle BIAS \rangle$  is done before data load.

S (Substitute Memory)

S[W]<ADDR>,<OLD>[<NEW>]<CR/,>

Contents of the address <ADDR> are displayed. To examine the contents, enter <CR/,> and change the contents, enter <NEW> before <CR/,> entry.

\* Execute read-after-write check.

X (Examine/Modify Register)

X<CR> X<REG><OLD>[<NEW>]<CR/,>

When X CR is only designated, name and contents of each register are displayed. If REG is entered, contents of a designated register is displayed. To modify the register contents, enter <CR/,>. To modify register contents, enter <NEW> and then, <CR/,>. When comma is entered, the contents of register with succeeding priority are displayed according to the Table of REG (sequence of register contents display is AX +FL).

## ERROR PROCESS

Error message "#" is displayed when command entry or operator error occurs and line change is performed for command reentry. If numeric value of some digits is greater than specified, particular digits at the head part of numeric are cut off with no error message displayed.

Once an misinput happens, no correction step is possible except to intentionally make an error.

For example; Enter misinput "@" then error message "#" for command re-entry appears.

(Entry is only for alphanumeric.)

#### 7.4 D COPY (media copy program) operation

Execute program "D COPY" to copy a test program.

For details of D COPY operation, refer to TEST PROGRAM OPERATIONAL MANUAL.

# Chapter 8 Appendix

8.1 Unit Configuration and General Wiring





Fig. 8.1.2 AS-100C (For 115,120V)



Fig. 8.1.3 AS-100M (For 230,240V)





#### MPD DC

Pin No.	No. Wire's color	
2	GREEN	(+5V)
1	RED	(GND)
3	WHITE	(GND)
4	BLACK	(+12V)

#### DC(A) - DC(B)

Pin No.	Wire's color		
1	ORANGE	(+12V)	
2	BLUE	(GND)	
3	BLACK	(GND)	
4	YELLOW	(+5V)	

Fig. 8.1.5 5"FDD

(For 115,120,230,240V)



Fig. 8.1.6 8"FDD

(For 115,120,230,240V)

# CANON INC.

COPYRIGHT (C) 1983 BY CANON INC. Printed in Japan Feb. 1983

EY8-6072-222